# Liquid Crystals for On-Chip Optoelectronics: An Opportunity

## Ling-Ling Ma*, Ren Zheng and Han Zhang

National Laboratory of Solid-State Microstructures, College of Engineering and Applied Sciences, Nanjing University, China

**\*Corresponding author:** Ling-Ling Ma, National Laboratory of Solid-State Microstructures, College of Engineering and Applied Sciences, Nanjing University, Nanjing 210093, China

## Opinion

Optoelectronic technology is one of the most important scientific and technological pillars in the development of modern society. Thus, it is crucial to devote efforts to revolutionizing related technologies and developing high-performance optoelectronic elements, especially on-chip functional devices. In today's double-carbon strategy, we should take the chance to chart the course from the source, i.e., to develop green, intelligent, and high-efficiency optoelectronic materials that lie in the heart of optoelectronics. Liquid Crystals (LCs) [1], as a kind of magic optoelectronic material, have remained an unfailing paradigm for display industries, with the annual value of production reaching hundreds of billions of dollars. Whether LCs can provide unique opportunities for high-performance on-chip devices is a question but seems to have had an answer. It is also significantly important for the further development of LCs beyond displays. LC is a kind of mysterious "fourth state" of matter following solid, liquid, and gas. It exhibits abundant interesting phases and widely exists in living organisms and synthetic composites. Usually, LCs are composed of a series of rod-like molecules with rigid groups and flexible chains. These molecules can self-assemble into specific arrangements under certain anchoring conditions with distinct orientational orders. The shape anisotropy of LC molecules combined with the orientational order imparts the anisotropic feature to several physical properties, including elastic, viscous, dielectric and optical anisotropies. The other fascinating feature is that LCs can respond to various external stimuli to adapt to the environment, which makes them very promising for intelligent on-chip applications.

Recently, noncontact photoalignment techniques have been newly developed as an encouraging method in high-quality LC alignments. Usually, photoalignment relies on photo responsive agents that can respond to polarized light by reorienting their axes perpendicular to the polarization. It exhibits clear superiority to fabricate complex multidomain alignment patterns for LCs and eliminates dust contamination, mechanical damage, and electrostatic charge. Thus, it has attracted extensive attention from researchers worldwide [2-4]. By combining a digital micromirror device-based photopatterning system, we can easily manipulate the in-plane director field of nematic LCs for structured light generation [5-7] and create specifically photopatterned helical superstructures for high-quality diffraction elements [8-11], programmable self-propelling actuators [12], particle manipulators [13] and planar optical elements [14,15]. In addition, three-dimensional smectic layer origami has been achieved through preprogramming the underlying two-dimensional alignment [16,17], which demonstrates complete control of topological defects in smectic LCs, including the size, shape and orientation of focal conic domains, as well as lattice symmetry [16]. Thus, self-assembled asymmetric micro lenses have been proposed for four-dimensional

visual imaging [18]. The "top-down" photopatterning process combined with the "bottom-up" self-assembly ability pushes the hierarchical architecture control of LCs to an unprecedented level. Furthermore, laser direct writing, 3D printing, soft lithography, and geometric confinement continuously spring up, speeding the advancement of LC applications beyond displays. With the rise of these new technologies, LCs are encouraging for applications in next-generation on-chip optoelectronics.

## Funding

## References

1. Ma LL, Hu W, Zheng ZG, Wu SB, Chen P, et al. (2019) Light-activated liquid crystalline hierarchical architecture toward photonics. Adv Opt Mater 7(16): 1900393.

2. Chen J, Xu T, Zhao W, Ma LL, Chen D, et al. (2021) Photoresponsive thin films of well-synthesized azobenzene side-chain liquid crystalline polynorbornenes as command surface for patterned graphic writing. Polymer 218: 123492.

3. Zhang H, Ma LL, Zhang Q, Shi Y, Fang Y, et al. (2020) Azobenzene sulphonic dye photoalignment as a means to fabricate liquid crystalline conjugated polymer chain-orientation-based optical structures. Adv Opt Mater 8: 1901958.

4. Ge SJ, Chen P, Ma LL, Liu Z, Zheng ZG, et al. (2016) Optical array generator based on blue phase liquid crystal dammann grating. Opt Mater Express 6(4): 1087-1092.

5. Chen P, Ge SJ, Ma LL, Hu W, Chigrinov V, et al. (2016) Generation of equal-energy orbital angular momentum beams via photopatterned liquid crystals. Phys Rev Appl 5(4): 044009.

6. Xu R, Chen P, Tang J, Duan W, Ge SJ, et al. (2018) Perfect higher order poincaré sphere beams from digitalized geometric phases. Phys Rev Appl 10(3): 034061.

7. Shen Z, Zhou S, Ge S, Duan W, Ma LL, et al. (2019) Liquid crystal tunable terahertz lens with spin-selected focusing property. Opt Express 27(6): 8800-8807.

8. Ma LL, Li SS, Li WS, Ji W, Luo B, et al. (2015) Rationally designed dynamic superstructures enabled by photoaligning cholesteric liquid crystals. Adv Opt Mater 3: 1691-1696.

9. Li WS, Ma LL, Gong LL, Li SS, Yang C, et al. (2016) Interlaced cholesteric liquid crystal fingerprint textures via sequential UV-induced polymer-stabilization. Opt Mater Express 6(1): 19-28.

10. Wu YH, Wu S, Liu C, Tan QG, Yuan R, et al. (2021) Light-driven pitch tuning of self-assembled hierarchical gratings. Crystals 11(4): 326.

11. Sun PZ, Liu Z, Wang W, Ma LL, Shen D, et al. (2016) Light-reconfigured waveband-selective diffraction device enabled by micro-patterning of a photo responsive self-organized helical superstructure. J Mater Chem C 4: 9325-9330.

12. Ma LL, Liu C, Wu SB, Chen P, Chen QM. et al. (2021) Programmable self-propelling actuators enabled by a dynamic helical medium. Sci Adv 7(32): eabh3505.

13. Ma LL, Duan W, Tang MJ, Chen LJ, Liang X, et al. Light-driven rotation and pitch tuning of self-organized cholesteric gratings formed in a semi-free film. Polymers 9(7): 295.

14. Chen P, Ma LL, Hu W, Shen ZX, Bisoyi HK, et al. (2019) Chirality invertible superstructure mediated active planar optics. Nat Commun 10: 2518.

15. Chen P, Ma LL, Duan W, Chen Ji, Ge SJ, et al. (2018) Digitalizing self-assembled chiral superstructures for optical vortex processing. Adv Mater 30(10): 1705865.

16. Ma LL, Tang MJ, Hu W, Cui ZQ, Ge SJ, et al. (2017) Smectic layer origami via preprogrammed photoalignment. Adv Mater 29(15): 1606671.

17. Wu SB, Ma LL, Chen P, Cao HM, Ge SJ, et al. (2020) Smectic defect engineering enabled by programmable photoalignment. Adv Opt Mater 8(17): 2000593.

18. Ma LL, Wu SB, Hu W, Liu C, Chen P, et al. (2019) Self-assembled asymmetric microlenses for four-dimensional visual imaging. ACS Nano 13(12): 13709-13715.

**For possible submissions Click below:**

Submit Article