



# Enhancing Overall Equipment Effectiveness (OEE) in Compressor Manufacturing Industries



Sripriyan K\* and Janakiraman R

Department of Mechanical Engineering, PSG College of Technology, India

\*Corresponding author: Sripriyan K, Department of Mechanical Engineering, PSG College of Technology-Coimbatore, India, Email: k.sripriyan@yahoo.com

Submission: 📅 March 03, 2018; Published: 📅 May 15, 2018

## Abstract

This paper focuses on the methodology of improving the productivity through overall equipment effectiveness (OEE) with help of lean manufacturing technique in compressor manufacturing industries. For a good manufacturing plant, the most recommended things are quality and efficiency. These two parameters depend on the function of equipment used in the industry. In the current global competitive environment it is of immense importance for manufacturing companies to keep track of, and improve the production performance of their production systems. Production failure includes many reasons, among them improper maintenance and equipment performance are the eye catching reasons. Lean manufacturing techniques is to significantly identify the waste and eliminate it from the manufacturing processes. The OEE calculation is one of the ways to improve the performance. This work has been carried out in 2hp air compressor manufacturing unit for improving OEE with help of 5s techniques using a systematic approach. The project has been addressed in three aspects; namely Availability, Performance and Quality which quantify OEE. The investigation result shows that the OEE has been improved from 45.9% to 55.8%.

**Keywords:** 5S; Overall equipment effectiveness (OEE); Standard operating procedure and Productivity.

## Introduction

The manufacturing and process industry use Overall Equipment Effectiveness (OEE) as an important Key factor to monitor and control their performance effectiveness. At present the level of competition between firms is increasingly demanding, levels of demand by the customer are more stringent so that only the companies that have the ability to adapt easily to these needs are protruding. Maintenance plays a very important role in the industry, since to be able to produce goods of quality and quantity, and to deliver at the right time according to customer needs; machinery and equipment must operate efficient and accurate. Although it is not always recognized as an important area, maintenance has been widely regarded as a support function that is not productive, since it does not generate cash directly and sometimes relegated for that reason. OEE is a measure used in Total Productive Maintenance (TPM) to indicate how efficiently the machines are working. With the proper implementation of lean tools, the problems can be solved effectively and the productivity can be increased. The paper discusses about the analysis and implementation of lean tools for improving the overall equipment effectiveness and to meet the customer demand by using standard operating procedure and 5S techniques. 5S is a system which helps to organize a workplace for efficiency and optimizes quality and productivity via monitoring an organized environment.

## Problem Definition

Data collection is done based on 2 hp air compressor manufacturing unit. The results show that while the setup time is more. Further observation revealed that they are not meeting the customer demand, because there is no proper assembly of workstations it will increase the manufacturing lead time. Another observation is the machine downtime is more because of improper maintenance. This will cause the less productivity. In machine shop there is no proper handling of 5S activity, this causes for more tool searching time for operators. It will also increase the non value added activity for operators in machine shop. Machine utilization also poor because of improper operating procedure. It will cause for less production.

## Objectives

- To reduce the non value added activity for operators in machine shop
- To improve the overall equipment effectiveness
- To meet the customer demand

To attain the above objective proper time study has been conducted and observations are noted down. Takt time is calculated

and time study is done for each and every activity details are in Tables 1 & 2 [1,2]. The time study is done for each and every

activity. Table 2 gives the details about the data collection. This data is tabulated based on average values noted.

**Table 1:** Takt time calculation.

<b>Time Per Shift</b>	8.5hrs=510min
<b>Break and Clean Up Time</b>	60min
<b>Total Available Time Per Shift</b>	450min
<b>Customer Demand Per Shift(Average)</b>	8
<b>Takt Time=Available Time/Customer Demand</b>	450/8=56.25min

**Table 2:** Time study observations.

Activity	Cycle Time (mins)	Value Added Time (mins)	Non Value Added Time (mins)
Compressor head machining	08	6.3	1.7
Crankcase machining	45	29.6	15.4
Cylinder machining	33	26	07
Connecting rod machining	6.3	3.3	03
Valve plate grinding	10.5	7.5	03
Shaft coupling machining	05	03	02
Inspection	13	00	13
Assembly	26	20	06
Testing	15	00	15
Painting	11	05	06
Packaging	20.5	16.5	04

## Results and Discussion


After implementing lean tools OEE is improved 17.7% and productivity also increased from 35 products per shift to 40 products per shift details are in below.

**Table 3:** Implementation of lean tool.

Activity	Before	After
1S	There was unwanted material on shop floor. Proper sorting was not done at any stage	Unwanted material is removed from shop floor. Proper sorting is done to remove unwanted material
2S	There was no proper tool arrangement	Tool is arranged in proper way
3S	There was no provision for disposable bins	Disposable bins are introduced
4S	No writing of hourly report by operator	Hourly report is being written on time
5S	Responsibility was not assigned	Responsibility is assigned properly

## Implementation Of Lean Tools

Different lean tools are identified to improve the OEE and productivity. After identification of lean tools, each tool is implemented as given below [3-6]:



**Figure 1:** Implementations of lean tool.

**5S:** 5S encourages workers to improve their working conditions and helps them to learn to reduce waste. In this paper 5S is one of the most important lean tools used. By using 5S as a tool lot of time is saved. The Table 3 and Figure 1 shows the details of before and after implement of lean tools.

**Overall equipment effectiveness:**

$$OEE = \text{Availability} * \text{Performance} * \text{Quality}$$

$$\text{Availability} = \frac{\text{Operating time}}{\text{Total available time} - \text{Planned downtime}}$$

$$\text{Performance} = \frac{\text{Ideal cycle time} * \text{Total cycle time}}{\text{Operating time}}$$

$$\text{Quality} = \frac{\text{Total Parts run} - \text{Total defects}}{\text{Total parts run}}$$

**Overall equipment effectiveness for before implementation**

An experimental result shows the compressor manufacturing unit having 45.9% of overall equipment effectiveness before implementation of lean tools details are in Table 4 & 5 and Figure 2. An experimental result shows the compressor manufacturing unit having 55.8% of overall equipment effectiveness before implementation of lean tools details are in Table 6-8 and Figure 3 & 4. After implementing each tool step by step the suitable results


are found out and results are discussed as follows. Figure 4 shows the tool searching of operator after the implementation of 5S. By implementing lean tools suitable results are found out. There is reduction in setup time is found out. Table gives the clear picture of how much time is reduced (Table 9 & 10).

**Table 4:** Production data for before implementation.

Description	Production data
Shift length	8 hours + 30min=510min
Short breaks	2*15min=30min
Meal break	1*30min=30min
Downtime	148.1min
Ideal run rate	6.3min/piece
Total pieces	35
Reject pieces	2

**Table 5:** Calculated data for before implementation.

OEE Factor	Calculated Data	%
Availability	301.9/450	0.67=67%
Performance	(35*6.3)/301.9	0.73=73%
Quality	(35-2)/35	0.94=94%
OEE %	0.67*0.73*0.94	0.459=45.9%



**Figure 2:** Overall equipment effectiveness for before implementation of lean tool.

**Table 6:** Downtime calculation for after implementation.

Observation	Down time (min)	Time Reduction (min)	Actual Production	Increased Production
Day 1	103	45.1	35	7
Day 2	122	26.1	35	4
Day 3	131	17.1	35	3
Day 4	118	30.1	35	4
Day 5	112	36.1	35	5
Day 6	126	22.1	35	3
Day 7	99	49	35	7

Day 8	128	20.1	35	3
Day 9	115	33.1	35	5
Day 10	109	39.1	35	6
Day 11	102	46.1	35	7
Day 12	122	26.1	35	4
Day 13	112	36.1	35	5
Day 14	104	44.1	35	7
Day 15	106	42.1	35	6
Average	113.9	34.16	35	5 products

**Table 7:** Production data for after implementation.

Description	Production Data
Shift length	8 hours+30min=510min
Short breaks	2*15min=30min
Meal break	1*30min=30min
Downtime	113.95min
Ideal run rate	6.3min/piece
Total pieces	40
Reject pieces	0

**Table 8:** Calculated data for after implementation.

OEE Factor	Calculated Data	%
Availability	336.05/450	0.747=74.7%
Performance	(40*6.3)/336.05	0.749=74.9%
Quality	(40-0)/40	1.00=100%
OEE %	0.747*0.749*1.00	0.558=55.8%

**Table 9:** Comparison OEE.

OEE Factor	Before (%)	After (%)
Availability	0.67	0.747
Performance	0.71	0.749
Quality	0.94	1
OEE %	0.459	0.558

**Table 10:** Results comparison.


Tool	Description	Before	After
5S	Tool searching time	04min	01min
Standard Operating Procedure	Downtime	148.1min	113.9min
Machine Utilization	Productivity	35 prod's/shift	40 prod's/shift
Standard Operating Procedure	OEE	45.90%	55.80%

**Conclusion**


This paper was aimed to improvement of investigate the influences of the overall equipment effectiveness in compressor manufacturing unit. To this purpose, Tool Searching time, Downtime, Productivity and OEE are implemented and analyzed. Investigated results are compared before and after implementing the lean tools. The end results shows that 75% reduction of tool searching time, 23% down time reduction, productivity has increased 12.5% and 17.7% increasing the Overall Equipment Effectiveness.

**References**

1. Bain N (2010) The consultants guide to successfully implementing 5S.
2. Singh R, Gohil AM, Shah DB, Desai S (2013) Total productive maintenance (TPM) implementation in a machine shop: a case study. *Procedia Engineering* 51: 592-599.
3. Sripriyan K, Janagiraman R (2001) Line balancing technique for labor optimization and productivity improvement in a compressor manufacturing industry. *International Journal of Advanced and Innovative Research* 4(4): 631.
4. Matt DT, Rauch E (2009) Implementation of lean production in small sized enterprises. *Procedia CIRP* 12: 420-425.
5. Escalante JE (1999) Quality and productivity improvement: a study of variation and defects in manufacturing. *Quality Engineering* 1(3): 427-442.
6. Sripriyan K, Janagiraman R (2018) Analysis and implementation of lean tools for lead time reduction in a compressor manufacturing industry. *National Journal of Technology* 11(3): 0973-1334.



**Figure 3:** Tool searching time (Before).



**Figure 4:** Tool searching time (After).



Creative Commons Attribution 4.0  
International License

For possible submissions Click Here

Submit Article



## Research & Development in Material Science

### Benefits of Publishing with us

- High-level peer review and editorial services
- Freely accessible online immediately upon publication
- Authors retain the copyright to their work
- Licensing it under a Creative Commons license
- Visibility through different online platforms