


Applications of Nanotechnology in Wastewater Treatments

Alka, Laura JS and Dhania G*

Department of Environmental Sciences, India

ISSN : 2832-4439



*Corresponding author: Geeta Dhania, Department of Environmental Sciences, India

Submission: 📅 August 09, 2021

Published: 📅 September 27, 2021

Volume 2 - Issue 2

How to cite this article: Alka, Laura JS, Dhania G. Applications of Nanotechnology in Wastewater Treatments. *Determinations Nanomed Nanotechnol.* 2(2). DNN. 000535. 2021.
DOI: [10.31031/DNN.2021.02.000535](https://doi.org/10.31031/DNN.2021.02.000535)

Copyright© Dhania G, This article is distributed under the terms of the Creative Commons Attribution 4.0 International License, which permits unrestricted use and redistribution provided that the original author and source are credited.

Abstract

Recent innovations in nanotechnology have transformed a number of scientific and industrial areas including the wastewater treatment. Nanoparticles or nanomaterials are considered to be most significant and appropriate for the treatment and purification of waste as they are highly reactive, have high degree of functionalization, large surface area to volume ratio and have a good affinity for target substances and their extremely small size makes them most appropriate purification agents. Nanotechnology has led to various efficient ways of treating the wastewater in a more accurate and precise manner on both small and large scale. This article mainly reviews the recent advances of nanotechnology and its application in the field of wastewater treatment.

Keywords: Nanofiltration; Nanoparticles; Nanomaterials; Nanotechnology; Nanosorbents; Wastewater treatment

Introduction

Over the years, nanotechnology has brought revolutions in many sectors. Both developing and developed countries are growing interest in investing more in this field [1]. Nanotechnology is a wide area, it adopts the characteristics of various disciplines like chemistry, physics and biology. It involves the creation, measurements, utilization and manipulation of materials and systems at a length of the nanometer sizes, usually from scale of 1 to 100nm [2,3]. Dealing with this level of small sizes, these materials are loaded with the most important feature of having high area to volume ratio that makes the uses of these nanomaterials in multidisciplinary fields [4]. Nanotechnology offers a wide range of applications in areas like life science, environment, agriculture, food, and medicine, etc. Nanoparticles have dimensions comparable with that of viruses, this permits them to attach themselves with various biological entities without altering their functions. Their large surface area allows them to make a strong bond with surfactant molecules, this led to detection of some specific polluting contaminants, interaction with them and their treatment [5]. Nanoparticles also have technological and fundamental interest as they provide a good alternative solution to many technological problems and environmental challenges in the fields of wastewater treatment, solar energy conversion, medicine, and catalysis. It is also gaining interest in healthcare, drug- gene delivery, energy science, optics, mechanics, food and feed, space industries, chemical industries, electron transmitters, light emitters, and cosmetics [6]. Materials having the dimensions of nanoscale shows a great difference in the characteristics and properties when compared to the same material in bulk. This difference in the physical and chemical properties of the atoms, molecules and their bulk counterparts arises due to different physiochemical properties and surface to volume ratio.

Nanotechnology and Wastewater Treatment

Nanotechnology is the manipulation, control, and integration of atoms and molecules at the nanoscale to create materials, structures, components, devices, and systems. The development of various tools and techniques enabled by nanotechnology, especially in the area of water purification, opens up a new potential alternative to improve the efficiency and

cost-effectiveness of wastewater treatment [7]. This is conceivable because nanomaterials are small, highly reactive, more precise, and, most crucially, they can be manufactured using environmentally benign and potentially cost-effective procedures [8]. Nano catalysis, Nanofiltration, and Nano sorbents are some of the potential water treatment techniques/tools offered by nanotechnology.

Nano catalysts

Nano catalysts are also commonly employed in water treatment because they boost catalytic activity at the surface due to their unique traits of having a larger surface area and shape-dependent properties. It improves pollutant reactivity and degradation. For the degradation of environmental contaminants such as polychlorinated biphenyls, azo dyes, halogenated aliphatic, organochlorine pesticides, halogenated herbicides, and nitro aromatics, semiconductor materials, zero-valence metal, and bimetallic nanoparticles are commonly used catalytic nanoparticles [9]. On a laboratory scale, the catalytic activity has been demonstrated for a variety of pollutants. Because redox reactions

are employed to make active catalysts on a large scale, there is a need to reduce hydrogen use and maintain hydrogen economy by manufacturing catalysts directly in metallic form.

Several studies have been conducted on the immobilization of metallic nanoparticles in membranes (such as cellulose acetate, Polyvinylidene Fluoride (PVDF), polysulfone, chitosan, and others) for effective degradation and dechlorination of toxic contaminants, which offers several advantages such as high reactivity, organic partitioning, nanoparticle prevention, lack of agglomeration, and reduced surface [10].

Nanofiltration

Filtration, which incorporates a filter media or a membrane that separates the solid from the liquid, is one of the most common and significant procedures in water purification and wastewater treatment. Figure 1 depicts the various membrane-based filtering processes, as well as the sizes and types of particles that can be filtered out.




Figure 1: Membrane based filtration techniques with effective size and types of particles.

Nanofiltration is a pressure-driven membrane separation technique and is rapidly advancing in the area of water purification and wastewater treatment due to its unique charge-based repulsion property and high rate of permeation. Due to the lower pressure requirements (7-30atm) compared to reverse osmosis processes (20-100atm), nanofiltration is becoming more popular these days, being a lower energy consumption technique [11].

Several studies have been conducted on the immobilization of metallic nanoparticles in membranes (such as cellulose acetate, polyvinylidene fluoride, polysulfone, chitosan, and others) for effective degradation and dechlorination of toxic contaminants, which offers several advantages such as high reactivity, organic partitioning, nanoparticle prevention, lack of agglomeration, and reduced surface [10].

Nanocomposites films made of polyetherimide, and palladium acetate have been examined for particular interactions between hydrogen and palladium-based nanoparticles, demonstrating their efficacy in water treatment. By annealing the precursor film under various circumstances, both *in situ* and *ex situ*, metal nanoparticles were formed within the matrix. This opens up the possibility of creating materials with customizable qualities [12].

Nano sorbents

Sorption is the process by which one material, sorbate, binds to another substance, sorbent, through physical or chemical interactions. Sorbents are a type of separation media used in water purification and treatment to remove organic and inorganic pollutants from contaminated water. In general, there are three

processes to the sorption of contaminants in water on the sorbent surface:

- a) Pollutant transport from the water to the sorbent surface,
- b) Sorbent surface adsorption, and
- c) Transit inside the sorbent. Nanoparticles have two key characteristics that make them excellent sorbents.

Gram-positive bacteria, Gram-negative bacteria, and bacterial spores are all resistant to magnesium oxide nanoparticles and cellulose acetate fibers with embedded silver nanoparticles [13].

Kuo et al. [14] studied the adsorption of organic dyes from water using carbon nanotubes was investigated, and it was discovered that dye adsorption on the carbon nanotube surface is driven by a physisorption mechanism. Carbon nanotubes and activated carbon have a high adsorption rate and capacity, and both are thermally and chemically stable materials, making them appropriate for water treatment. Due to their small size, full separation of carbon nanotubes and powdered activated carbons from water is challenging. Integration of magnetic nanoparticles with carbon nanotubes and activated carbon has been found to be particularly effective in addressing this issue [15].

Tino et al. [16] used a mini-emulsion polymerization technique to create molecularly imprinted nanospheres for the specific adsorption of micro pollutants from hospital wastewater effluents. This technique is very complex but can be done in a single reaction chamber, resulting in particles with sizes ranging from 50nm to 500nm. A magnetic core can be added to allow for the final separation of these nanospheres, as well as the more important known harmful pollutants, from wastewater.

Conclusion

The organic and inorganic wastes in water can be controlled using current wastewater treatment procedures. However, because of the inability to properly purify water and the impossibility to reuse the retentates, these technologies are energy intensive and uneconomical. Nanomaterials-based processes are more cost-effective, use less time and energy, and produce far less waste than bulk materials-based approaches. However, specific safeguards must be taken to ensure that nanoparticles do not pose a hazard to human health or the environment. Nanotechnology has the potential to have a significant impact on wastewater treatment in the future. Nanotechnology aims to improve existing methods by increasing process efficiency and increasing the reusability of nanomaterials, lowering the plant or process's operating costs. Nanomaterials have unique qualities such as a high surface-to-volume ratio, high reactivity and sensitivity, the ability to self-assemble on substrates to form films, high adsorption, and so on, making them ideal for water treatment. As further progress is made

in the field of nanomaterials, they will become a key component of industrial and wastewater treatment systems in the future.

References

1. Qureshi AM, Swaminathan K, Karthikeyan P, Ahmed K, Sudhir P, et al. (2012) Application of nanotechnology in food and dairy processing: An overview. *Pak J Food Sci* 22: 23-31.
2. Schmid G (2010) *Nanoparticles: From theory to application* 2nd (edn), p. 533.
3. Dixon MB, Falconet C, Ho L, Chow CW, O'Neill BK, et al. (2011) Removal of cyanobacterial metabolites by nanofiltration from two treated waters. *Journal of Hazardous Materials* 188(1-3): 288-295.
4. Sharma V, Sharma J (2017) Electron microscopy study of green synthesized zero valent iron nanoparticles. *Int J Eng Technol Sci Res* 4(5): 654-658.
5. Nguyen HL, Nguyen HN, Nguyen HH, Luu MQ, Nguyen MH (2014) *Nanoparticles: Synthesis and applications in life science and environmental technology*. *Advances in Natural Sciences: Nanoscience and Nanotechnology* 6(1): 015008.
6. Ahmad N, Sharma S, Singh VN, Shamsi SF, Fatma A, et al. (2011) Biosynthesis of silver nanoparticles from *Desmodium triflorum*: A novel approach towards weed utilization. *Biotechnology Research International*, pp. 1-8.
7. Hornyak GL, Moore JJ, Tibbals HF, Dutta J (2009) *Fundamentals of nanotechnology*, CRC Press, Taylor and Francis Group, New York, USA.
8. Peng X, Luan Z, Di Z, Zhang Z, Zhu C (2005) Carbon nanotubes-iron oxides magnetic composites as adsorbent for removal of Pb(II) and Cu(II) from water. *Carbon* 43: 880-883.
9. Zhao X, Lv L, Pan B, Zhang W, Zhang S, et al. (2011) Polymer-supported nanocomposites for environmental application: A review. *Chemical Engineering Journal* 170(2-3): 381-394.
10. Xu J, Bachas L, Bhattacharyya D (2009) Synthesis of nanostructured bimetallic particles in poly ligand functionalized membranes for remediation applications. *Nanotechnology Applications for Clean Water*, pp. 311-335.
11. Drewes JE, Bellona CL, Xu P (2008) Comparing nanofiltration and reverse osmosis for treating recycled water. IWA Publishing (International Water Assoc), London, UK.
12. Clémenson S, Espuche E, David L, Léonard L (2010) Nanocomposite membranes of polyetherimide nanostructured with palladium particles: Processing route, morphology and functional properties. *Journal of Membrane Science* 361(1-2): 167-175.
13. Savage N, Diallo MS (2005) Nanomaterials and water purification: Opportunities and challenges. *Journal of Nanoparticle Research* 7: 331-342.
14. Kuo CY, Wu CH, Wu JY (2008) Adsorption of direct dyes from aqueous solutions by carbon nanotubes: Determination of equilibrium, kinetics and thermodynamics parameters. *J Colloid Interface Sci* 327(2): 308-315.
15. Gorria P, Sevilla M, Blanco JA, Fuertes AB (2006) Synthesis of magnetically separable adsorbents through the incorporation of protected nickel nanoparticles in an activated carbon. *Carbon* 44(10): 1954-1957.
16. Schreiber T, Weber A, Niedergalla K, Riegler J, Brynioka D, et al. (2009) Water treatment by molecularly imprinted polymer nanoparticles. MRS Spring Meeting. Cambridge Journals Online 11(69).

For possible submissions Click below:

Submit Article