

# Chemical Pesticide Tends Lower Appreciating Alternatives of Pest of Control: Bangladesh Perspective

**MAK Mian\***

Agronomy Division, Bangladesh Agricultural Research Institute, Gazipur, India



**\*Corresponding author:** MAK Mian,  
Agronomy Division, Bangladesh  
Agricultural Research Institute, Gazipur,  
India

**Submission:** 📅 January 25, 2021

**Published:** 📅 March 23, 2021

Volume 2 - Issue 4

**How to cite this article:** MAK Mian.  
Chemical Pesticide Tends Lower  
Appreciating Alternatives of Pest of  
Control: Bangladesh Perspective. Int J Conf  
Proc. 2(4). ICP. 000544. 2021.

**Copyright@** MAK Mian, This article is  
distributed under the terms of the Creative  
Commons Attribution 4.0 International  
License, which permits unrestricted use  
and redistribution provided that the  
original author and source are credited.

## Introduction

Pesticide is commonly used for growing more food successfully to feed the increasing population of Bangladesh. It is a great challenge to provide food to people coping with the demand of nation. Consequently, high inputs like fertilizer, irrigation, pesticides were adopted to enhance crop productivity. Now, it is well known that pesticide has many harmful effects. Extensive expose of pesticides resulted in contamination of air, soil, water and food [1], interfering into the food chain caused human health hazard and diseases [2]. Pesticide can cause short-term adverse health effects, called acute effects, as well as chronic adverse effects. Stinging eyes, rashes, blister, blindness, nausea, dizziness, diarrhea and death are some examples of acute effect. Again, some examples of chronic effects are cancers, birth defects, diabetes, reproductive harm, neurological and developmental toxicity, immunotoxicity and disruption of endocrine system [3]. Infants and young children are more susceptible than adults to the effect of pesticides. Farmer workers and pesticides applicators are more vulnerable because of greater receiver. Pesticides are poisonous chemicals that included insecticides, fungicides, herbicides and rodenticides in Bangladesh context [4]. About 500 chemical pesticides and 43 bio-pesticides are registered in Bangladesh [5]. Earlier of 1990s, pesticides application was limited afterwards it increased reaching peak in 2008. After that, consumption of pesticides showed reducing trend as the awareness grown of people about harmful effects of pesticides. Pesticides is a chemical poison called "silent killer of lives" [6]. Scientists are trying to develop bio-pesticides from many botanicals and organic sources. Integrated Pest Management (IPM) packages are also encouraging for save food production in Bangladesh. Pheromone trap are popularly used by the farmers in many crops specially in cucurbit vegetable crops. Moreover, different traps are used as alternative of chemical pesticides application for insect control. Therefore, the paper is written reviewing the real situation of pesticide application with an alternatives of pest control method for growing more food in Bangladesh.

## Methodology

Pertinent data and information were collected from different secondary sources like Bangladesh Bureau of Statistics [4], Annual Reports and Publications of Entomology Division and horticulture center (Bangladesh Agricultural Research Institute) [7,8], Published article of different Scientists and Organizations. Present scenarios of bio rational pesticides in Bangladesh were cited and discussed. Analysis was done to observe the status of pesticides and efficiency of pesticides with the relation of productivity of food crops. Pesticides includes insecticides, fungicides, herbicides and rodenticides whenever food crops includes all cereals, pulses, oilseeds, tuber crops (potato and sweet potato), spices and condiments, vegetables and fruits in the study.

Productivity or Efficiency of Pesticides (PE) was calculated according to [9] as follows.

$$\text{Productivity (PE)} = \frac{\text{Total food crop production (t) in a year}}{\text{Total pesticide consumption (kg) in a year}}$$


$$\text{Change (\%)} = \frac{\text{Amount in present year} - \text{Amount in last year}}{\text{Amount in last year}} \times 100$$

## Results and Discussion

### Food production and pesticide consumption

Food production increased 43.46% from 1988-1989 to 1999-2000, 84.30% from 1999-2000 to 2009-2010 and 29.16% from 2009-2010 to 2018-2019 (Table 1). The results indicated that the growth rate was found the highest (84.30%) in 2009-2010 from 1999-2000. Amount of pesticide was also consumed higher in 2009-2010 (Table 1). This was happened due to higher growth rate of food crops in 2009-2010. Changed (%) of pesticide was noticed higher in 1999-2000 from 1988-1989 followed by 2009-2010 from 1999-2000 while the negative value was noticed in 2018-2019 from 2009-2010. The results revealed that pesticides use showed decreasing trend from 2008 (Figure 1). At earlier of 1990s, pesticides consumption was lower (11367.20MT of KL), then it gradually increased reaching at the peak (48690.19MT or KL) in 2008, afterward it showed decreasing trend (Figure 1). Decreasing trend occurred due alternate use of pesticide like bio-pesticide, pheromone trap, other traps, use of predators, IPM, clean cultivation etc. Productivity was found higher (3.95t/kg) in

1988-1989 followed by 1999-2000 and 2018-2019 while giving the lowest value (1.25t/kg) in 2009-2010 (Table 1). The results indicated that 1kg pesticide was required to produce 1.25-1.95ton of food crop (Table 1).



**Figure 1:** Status of pesticide use in Bangladesh (1997 to 2019).

Source: Adapted from Bangladesh Bureau of Statistics (BBS)

**Table 1:** Food crop production and pesticide consumption in Bangla (1988-1989 to 2018-2019).

Year	Food Crop Production		Pesticide Consumption		Productivity (t/kg)
	'000' MT	Changed (%)	Pesticide (MTor KL)	Changed (%)	
1988-1989	19951	%	5051.01	-	3.95
1999-2000	28622	43.46	15632.24	209.4874	1.83
2009-2010	52749	84.3	42240.63	170.2148	1.25
2018-2019	68130	29.16	37187.28	-11.9632	1.83
Sd	22083	-	17621	-	1.19
Mean	42363	-	25028	-	2.22

### Scenario of alternatives pest control methods

Use of different bio pesticides are forwarded in Bangladesh (Table 2). Some examples are given about insects and diseases control of vegetables and fruits. Use of bio-pesticides are getting popularity for safe food production. Safe food markets are

organizing in different parts of Bangladesh. People try to understand the dangerous residual effects of pesticides on human health. Other than pesticides, different packages of pest management like pheromone trap, other trap, IPM, predator, clean cultivation, alternate cropping, crop rotation, intercropping etc. are encoring and getting popularity in Bangladesh.

**Table 2:** Some effective bio-pesticide commonly used in Bangladesh.

Insect	Crop	Bio-Pesticide
Jassid ( <i>Amrasca biguttula</i> )	Brinjal	Bioneemplus, Phytomax, Phizimite, Biotrin
Thrips ( <i>Thrips palmi</i> )	Brinjal	
White fly ( <i>Bemisia tabaci</i> )	Brinjal	
Aphid ( <i>Aphis gossypii</i> )	Brinjal	
Leaf miner ( <i>Tuta absoluta</i> )	Tomato	Spinosad (Tresser, Success) Biotrin
Bana Beel ( <i>Nodostoma viridipennis</i> )	Banana	Tresser, Success
Fall armyworm ( <i>Spodoptera frugiperda</i> )	Maize	Tresser, Success, Clorantanipl
Jassid ( <i>Amrasca biguttula</i> )	Okra	Bio-clean
Pea Aphid ( <i>Acyrtosiphon pisum</i> )	Pea	Neem oil (botanical)
Diseases		
Damping off, Wilting, foot and root rot, root knot, ( <i>Fusarium</i> )	vegetables	Trico compost
Trico lished		

Source: Adapted from BARI (2019 & 2020)

### Conclusion

Alternative pest control methods rather than pesticide use are getting popularity for safe food production in Bangladesh. Consequently, total pesticides consumption showed reducing trend in Bangladesh indicating green world.

### Acknowledgment

The author acknowledged to the researchers and scientists, organizations, whose information are cited in the papers.

### References

1. Ahmed MS, Prodhon MDH, Begum A, Afroze M, Sarker D (2020) Annual report entomology division. Bangladesh Agricultural Research Institute (BARI), Gazipur, India, pp. 271-272.
2. EPA (2017) Environmental protection agency, USA.
3. Anonymous (2021) CPR: Californians for pesticides reform. Pesticides & human health, USA.
4. BBS (Bangladesh Bureau of Statistics) (1995-2019) Ministry of planning govt, Peoples republic of Bangladesh, Dhaka, Bangladesh.
5. Department of Agricultural Extension (DAE) (2020) Plant protection division. Kharambari, Dhaka, Bangladesh.
6. Balakumar P, Chakkarwar VA, Kumar V, Jain A, Reddy J, et al. (2008) Experimental models for nephropathy. J Renin Angiotensin Aldosterone Syst 9(4): 189-195.
7. BARI (Bangladesh Agricultural Research Institute) (2019) Booklets and Leaflets, Entomology division.
8. BARI (Bangladesh Agricultural Research Institute) (2020) Horticulture Research Centre (Pathology), Leaflet, P4.
9. Rahman S (2013) Pesticide's consumption and productivity and potential of IPM in Bangladesh. Sci Total Environ 445-446: 48-56.